



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **43-225-08**

Valid from: 2026 06 05
until: 2028 06 05

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **PC Electric Ges.m.b.H.**
Diesseits 145
4973 St. Martin im Innkreis
Austria

Product: **Fixed socket outlets for industrial purposes**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **TGM-VA EE 39292**

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

T. Neumayer

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2026 05 26



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



Manufacturer:

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Factory location(s):

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01
ÖVE/ÖNORM EN 60309-2:2013-03-01
OVE EN IEC 60309-1:2023-07-01
OVE EN IEC 60309-2:2023-07-01
IEC 60309-1:2021
IEC 60309-2:2021

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

Product: Fixed socket outlets for industrial purposes

Type designation:

Rating:

Trademark:

123

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

323

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

423

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

923

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screw terminals

PCE / ELCEE / SIROX / METECEE

9223

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw terminals

PCE / ELCEE / SIROX / METECEE

124

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

324

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

424

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

924

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

125

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

325

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

425

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

925

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screw terminals

PCE / ELCEE / SIROX / METECEE

9225

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw terminals

PCE / ELCEE / SIROX / METECEE

1232

Rated supply current: 32 A
2P+E
IP67 or IP66/IP67
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

3232

Rated supply current: 32 A
2P+E
IP67 or IP66/IP67
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

4232

Rated supply current: 32 A
2P+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

1242

Rated supply current: 32 A
3P+E
IP67 or IP66/IP67
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

3242

Rated supply current: 32 A
3P+E
IP67 or IP66/IP67
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

4242

Rated supply current: 32 A
3P+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

1252

Rated supply current: 32 A
3P+N+E
IP67 or IP66/IP67
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

3252

Rated supply current: 32 A
3P+N+E
IP67 or IP66/IP67
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

4252

Rated supply current: 32 A
3P+N+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

123TT

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

323TT

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
flanged socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

423TT

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

923TT

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screwless terminals

PCE / ELCEE / SIROX / METECEE

9223TT

Rated supply current: 32 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw and screwless terminals

PCE / ELCEE / SIROX / METECEE

124TT

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

324TT

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
flanged socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

424TT

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

924TT

Rated supply current: 32 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screwless terminals

PCE / ELCEE / SIROX / METECEE

125TT

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

325TT

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

425TT

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

925TT

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screwless terminals

PCE / ELCEE / SIROX / METECEE

9225TT

Rated supply current: 32 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw and screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

1232TT

Rated supply current: 32 A
2P+E
IP67 or IP66/IP67
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

3232TT

Rated supply current: 32 A
2P+E
IP67 or IP66/IP67
flanged socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

4232TT

Rated supply current: 32 A
2P+E
IP67 or IP66/IP67
flanged socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

1242TT

Rated supply current: 32 A
3P+E
IP67 or IP66/IP67
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

3242TT

Rated supply current: 32 A
3P+E
IP67 or IP66/IP67
flanged socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

4242TT

Rated supply current: 32 A
3P+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

1252TT

Rated supply current: 32 A
3P+N+E
IP67 or IP66/IP67
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

3252TT

Rated supply current: 32 A

3P+N+E

IP67 or IP66/IP67

flanged socket outlet

screwless terminals

PCE / ELCEE / SIROX / METECEE

4252TT

Rated supply current: 32 A

3P+N+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

1	2	5	2	-	6	TT	k	*		v
---	---	---	---	---	---	----	---	---	--	---

Contacts	
blank	uncoated contacts
v	nickel plated contacts
Auxiliary switch	
blank	without auxiliary switch
h	with auxiliary switch (only for types 423, 4232)
Colour	
blank	indicating colour
x	Midnight Series
*	reserved for additional colours
Wall housing	
blank	standard housing
k	compact housing (only Series 12.)
Terminals	
blank	screw terminals
TT	screwless terminals
Clock position earthing contact	
1	1h
2	2h
3	3h
4	4h
5	5h
6	6h
7	7h
9	9h
10	10h
11	11h
12	12h
Customer type	
-	Trademark PCE
Degree of protection	
blank	IP44 oder IP44/IP54
1	IP44 oder IP44/IP54 (only series 12.)
2	IP67 oder IP66/IP67
Poles	
3	3-poles
4	4-poles
5	5-poles
Rated current	
2	32A
Basic type	
1	Wall mounted socket outlet
3	Flanged socket outlet straight
4	Flanged socket outlet sloping
9	Wall mounted socket outlet (two cable inlets)
92	Wall mounted socket outlet with socket outlet for household

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.


Typelist

Type	Rated current [A]	Earthing contact pos. [h]	Rated operating voltage [V]	Frequency [Hz]	Insulation voltage [V]
123 323 423 923 9223*) 1232 3232 4232	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	>50 – 250	DC	690
		4	100 – 130	50 and 60	690
		6	200 – 250	50 and 60	690
		7	480 – 500	50 and 60	690
		9	380 – 415	50 and 60	690
		10	>50	>100 - 300	690
		12	Supply from an isolating transformer	50 and 60	690
124 324 424 924 1242 3242 4242	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	380 440	50 60	690
		4	100 – 130	50 and 60	690
		5	600 – 690	50 and 60	690
		6	380 – 415	50 and 60	690
		7	480 - 500	50 and 60	690
		9	200 – 250	50 and 60	690
		10	>50	>100 - 300	690
		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
125 325 425 925 9225*) 1252 3252 4252	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	220/380 250/440	50 60	690
		4	57/100 – 75/130	50 and 60	690
		5	347/600 – 400/690	50 and 60	690
		6	200/346 – 240/415	50 and 60	690
		7	277/480 – 288/500	50 and 60	690
		9	120/208 – 144/250	50 and 60	690
		10	>50	>100 - 300	690
		11	250/440 – 265/460	60	690
		12	Supply from an isolating transformer	50 and 60	690

*) only available in clock position 6h.

Accessories:

ts327 •



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Type	Rated current [A]	Earthing contact pos. [h]	Rated operating voltage [V]	Frequency [Hz]	Insulation voltage [V]
123TT 323TT 423TT 923TT 9223TT*) 1232TT 3232TT 4232TT	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	>50 – 250	DC	690
		4	100 – 130	50 and 60	690
		6	200 – 250	50 and 60	690
		7	480 – 500	50 and 60	690
		9	380 – 415	50 and 60	690
		10	>50	>100 - 300	690
		12	Supply from an isolating transformer	50 and 60	690
124TT 324TT 424TT 924TT 1242TT 3242TT 4242TT	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	380 440	50 60	690
		4	100 – 130	50 and 60	690
		5	600 – 690	50 and 60	690
		6	380 – 415	50 and 60	690
		7	480 - 500	50 and 60	690
		9	200 – 250	50 and 60	690
		10	>50	>100 - 300	690
		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
125TT 325TT 425TT 925TT 9225TT*) 1252TT 3252TT 4252TT	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	220/380 250/440	50 60	690
		4	57/100 – 75/130	50 and 60	690
		5	347/600 – 400/690	50 and 60	690
		6	200/346 – 240/415	50 and 60	690
		7	277/480 – 288/500	50 and 60	690
		9	120/208 – 144/250	50 and 60	690
		10	>50	>100 - 300	690
		11	250/440 – 265/460	60	690
		12	Supply from an isolating transformer	50 and 60	690

*) only available in clock position 6h.

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.